

**N208S****S-76B 760399****DATE 2/3/2026****ENG #1 PT6B-36A S/N PCE36139****ENG #2 PT6B-36A S/N PCE36098**

A/C T.T.	6986.1	HOBBS	N/A	LANDINGS	20596
#1 ENG. TSN	6809.8	#1 CYC	11043	#1 EXCURS	
#2 ENG. TSN	6784.8	#2 CYC	10984	#2 EXCURS	

%	REM	PART NUMBER	DESCRIPTION	S/N	PART HRS/CY	REMAINING HRS/CY	REMOVE HRS/CY	TBO SLL	SUPPORT HRS/CY	PART HRS/CY
----------	------------	--------------------	--------------------	------------	--------------------	-------------------------	----------------------	----------------	-----------------------	--------------------

MAIN LANDING GEAR L/H (P/N: 76250-02500-101 S/N: T-5583)

81%	2071-2	CYLINDER	CPT11174JK	LGD/RET	20596.0	87404.0	108000.0	108000	0.0	0.0
84%	2071-4	PISTON	CPT0668JO	LGD/RET	20596.0	108104.0	128700.0	128700	0.0	0.0
38%	2071-12	AXLE SUP FIT	CPT0004BAC	LGD/RET	20596.0	12704.0	33300.0	33300	0.0	0.0
71%	2071-29	PIN UNV TO CYC	CPT0084PP	LGD/RET	20596.0	51404.0	72000.0	72000	0.0	0.0
82%	2071-32	PIN POS ROD TO TRQ ARM	CPT0602X	LGD/RET	20596.0	91904.0	112500.0	112500	0.0	0.0
81%	2071-35	DRAG BRACE ROD END	CPT0391BI	LGD/RET	20596.0	86792.0	107388.0	107388	0.0	0.0
83%	2071-46	UPPER TOR ARM	CPT1233AP	LGD/RET	20596.0	100134.0	120730.0	120730	0.0	0.0
62%	2071-47	LOWER TOR ARM	CPT0407SNM	LGD/RET	20596.0	33080.0	53676.0	53676	0.0	0.0
90%	2071-74	LOWER DRAG BRACE	CPT1328HSM	LGD/RET	20596.0	186404.0	207000.0	207000	0.0	0.0
89%	2071-76	RETRACTION BRACE	CPT0521JK	LGD/RET	20596.0	163904.0	184500.0	184500	0.0	0.0
80%	2071-85	AXLE	CPT0433BI	LGD/RET	20596.0	84614.0	105210.0	105210	0.0	0.0
66%	2071-235	ROD END - POS ROD	CPT0243BI	LGD/RET	20596.0	40604.0	61200.0	61200	0.0	0.0

RETRACTION ACTUATOR L/H (P/N: 1945G200-01 S/N: CPT916JK)

22%	1945F302	OUTER CYLINDER	CPTA1191JK	LGD/RET	24809.0	7141.0	27737.0	31950	13980.0	18193.0
78%	1945E314	PISTON	CPT0506JK	LGD/RET	32415.2	116084.8	136680.8	148500	6373.8	18193.0
60%	01-747-061	PISTON ROD END	HSM1838	LGD/RET	14222.2	21777.8	42373.8	36000	6373.8	0.0

MAIN LANDING GEAR R/H (76250-02500-102 S/N: T-5580)

81%	2071-2	CYLINDER	CPT1342JK	LGD/RET	20596.0	87404.0	108000.0	108000	0.0	0.0
84%	2071-4	PISTON	CPT0338JO	LGD/RET	20596.0	108104.0	128700.0	128700	0.0	0.0
38%	2071-12	AXLE SUP FIT	CPT0061BAC	LGD/RET	20596.0	12704.0	33300.0	33300	0.0	0.0
71%	2071-29	PIN UNV TO CYC	CPT0174PP	LGD/RET	20596.0	51404.0	72000.0	72000	0.0	0.0
82%	2071-32	PIN POS ROD TO TRQ ARM	CPT0543JK	LGD/RET	20596.0	91904.0	112500.0	112500	0.0	0.0
81%	2071-35	DRAG BRACE ROD END	CPT133BI	LGD/RET	20596.0	86792.0	107388.0	107388	0.0	0.0
83%	2071-46	UPPER TOR ARM	CPT1097AP	LGD/RET	20596.0	100134.0	120730.0	120730	0.0	0.0
62%	2071-47	LOWER TOR ARM	CPT0067DNM	LGD/RET	20596.0	33080.0	53676.0	53676	0.0	0.0



N208S

S-76B 760399

DATE 2/3/2026

ENG #1 PT6B-36A S/N PCE36139

ENG #2 PT6B-36A S/N PCE36098

A/C T.T.	6986.1	HOBBS	N/A	LANDINGS	20596
#1 ENG. TSN	6809.8	#1 CYC	11043	#1 EXCURS	
#2 ENG. TSN	6784.8	#2 CYC	10984	#2 EXCURS	

%	REM	PART NUMBER	DESCRIPTION	S/N	PART HRS/CY	REMAINING HRS/CY	REMOVE HRS/CY	TBO SLL	SUPPORT HRS/CY	PART HRS/CY
90%		2071-74	LOWER DRAG BRACE	CPT1145HSM	LGD/RET	20596.0	186404.0	207000.0	207000	0.0
89%		2071-76	RETRACTION BRACE	CPT0320JK	LGD/RET	20596.0	163904.0	184500.0	184500	0.0
80%		2071-85	AXLE	CPT0040BI	LGD/RET	20596.0	84614.0	105210.0	105210	0.0
66%		2071-235	ROD END - POS ROD	CPT0250BI	LGD/RET	20596.0	40604.0	61200.0	61200	0.0
RETRACTION ACTUATOR R/H (1945G200-01 S/N: CPT1212JK)										
75%		1945F302	OUTER CYLINDER	HSM4104	LGD/RET	7894.0	24056.0	44652.0	31950	12702.0
74%		1945E314	PISTON	CPT0239JK	LGD/RET	38168.0	110332.0	130928.0	148500	12702.0
78%		01-747-061	PISTON ROD END	HSM1843	LGD/RET	7894.0	28106.0	48702.0	36000	12702.0
		23111353-1	EMER BLOWDOWN BOTTLE	2296	CAL/HYRDO		Oct-26	3 YR	Oct-23	
		23111353-1	EMER BLOWDOWN BOTTLE	2254	CAL/RET		Aug-36	15 YR	Aug-21	
NOSE LANDING GEAR (P/N: 76250-01000-100 S/N: T-5454)										
91%		2070-85	AXLE	CPT0007BI	LGD/RET	20596.0	203652.0	224248.0	224248	0.0
86%		2070-60	FORK	CPT0603JK	LGD/RET	20596.0	123404.0	144000.0	144000	0.0
87%		2070-4	PISTON	CPT0200AT	LGD/RET	20596.0	140855.0	161451.0	161451	0.0
66%		2070-2	CYLINDER	CPT0509JK	LGD/RET	20596.0	40154.0	60750.0	60750	0.0
RETRACTION ACTUATOR NOSE (P/N: 2070A200 S/N: CPT0563ADE)										
80%		2070-201	DRAG BRACE CYL TERM	CPT0213ADE	LGD/RET	20596.0	82904.0	103500.0	103500	0.0
89%		2070-212B	DRAG BRACE PISTON TERM	CPT0292ADE	LGD/RET	20596.0	159404.0	180000.0	180000	0.0
79%		1944E204	DRAG BRACE ACT PISTON RO	CPT0065ADE	LGD/RET	20596.0	78404.0	99000.0	99000	0.0
COMPONENTS										
74%		76204-23002-042	ENG MOUNT FWD X-BEAM	A344-00399	HRS/RET	6986.1	19413.9	26400.0	26400	0.0
70%		76209-03001-051	MGB SUPP STRUCT FIT L/H	F021-00083	HRS/RET	6986.1	16413.9	23400.0	23400	0.0

**N208S****S-76B 760399****DATE 2/3/2026****ENG #1 PT6B-36A S/N PCE36139****ENG #2 PT6B-36A S/N PCE36098**

A/C T.T.	6986.1	HOBBS	N/A	LANDINGS	20596
#1 ENG. TSN	6809.8	#1 CYC	11043	#1 EXCURS	
#2 ENG. TSN	6784.8	#2 CYC	10984	#2 EXCURS	

%	REM	PART NUMBER	DESCRIPTION	S/N	PART HRS/CY	REMAINING HRS/CY	REMOVE HRS/CY	TBO SLL	SUPPORT HRS/CY	PART HRS/CY
70%		76209-03001-052	MGB SUPP STRUCT FIT R/H	F021-00064	HRS/RET 6986.1	16413.9	23400.0	23400	0.0	0.0
81%		76080-20063-057	STABILIZER	A253-00109	HRS/RET 6986.1	30713.9	37700.0	37700	0.0	0.0
50%		76209-04004-042	STABILIZER RET FIT	SN-PO-1	HRS/RET 6986.1	7013.9	14000.0	14000	0.0	0.0
50%		76209-04004-045	STABILIZER SUPPORT FIT	SN-PO-2	HRS/RET 6986.1	7013.9	14000.0	14000	0.0	0.0
		76201-05002-047	VERT STAB AFT SPAR		HRS/RET 6986.1			COND		
		76201-05501-042	VERT STAB FWD SPAR		HRS/RET 6986.1			COND		
41%		76150-09100-053	M/R BLADE (BLACK)	A086-01945	HRS/RET 6986.1	4763.9	11750.0	11750	1402.3	1402.3
41%		76150-09100-053	M/R BLADE (RED)	A086-01947	HRS/RET 6986.1	4763.9	11750.0	11750	1402.3	1402.3
41%		76150-09100-053	M/R BLADE (BLUE)	A086-01946	HRS/RET 6986.1	4763.9	11750.0	11750	1402.3	1402.3
41%		76150-09100-053	M/R BLADE (YELLOW)	A086-01944	HRS/RET 6986.1	4763.9	11750.0	11750	1402.3	1402.3
68%		76103-08010-050	M/R HUB ASSY	B027-00443	HRS/RET 6986.1	15013.9	22000.0	22000	6309.7	6309.7
		76102-08500-045	SPINDLE BLADE ASSY (RED)	A134-01932					4998.7	
60%		76102-08001-045	SPINDLE CUFF ASSY	A134-05217	HRS/RET 1987.4	3012.6	9998.7	5000	4998.7	0.0
68%		76102-08011-046	HORN	A050-01556	HRS/RET 6986.1	14713.9	21700.0	21700	0.0	0.0
60%		76102-08003-103	SPINDLE NUT	D186-03539	HRS/RET 1987.4	3012.6	9998.7	5000	4998.7	0.0
46%		SB5206-202	BEARING OUTER RACE	B199-27935	HRS/RET 676.4	573.6	7559.7	1250	6309.7	0.0
		76102-08500-045	SPINDLE BLADE ASSY (BLK)	A134-05285					4998.7	
60%		76102-08001-045	SPINDLE CUFF ASSY	A134-05285	HRS/RET 1987.4	3012.6	9998.7	5000	4998.7	0.0
68%		76102-08011-046	HORN	A050-01565	HRS/RET 6986.1	14713.9	21700.0	21700	0.0	0.0
60%		76102-08003-103	SPINDLE NUT	D186-03329	HRS/RET 1987.4	3012.6	9998.7	5000	4998.7	0.0
46%		SB5206-202	BEARING OUTER RACE	B199-26981	HRS/RET 676.4	573.6	7559.7	1250	6309.7	0.0
		76102-08500-045	SPINDLE BLADE ASSY (BLU)	A134-01940					4998.7	
60%		76102-08001-045	SPINDLE CUFF ASSY	A134-05280	HRS/RET 1987.4	3012.6	9998.7	5000	4998.7	0.0
68%		76102-08011-046	HORN	A050-01558	HRS/RET 6986.1	14713.9	21700.0	21700	0.0	0.0
60%		76102-08003-103	SPINDLE NUT	D186-03361	HRS/RET 1987.4	3012.6	9998.7	5000	4998.7	0.0
46%		SB5206-202	BEARING OUTER RACE	B199-26976	HRS/RET 676.4	573.6	7559.7	1250	6309.7	0.0

**N208S****S-76B 760399****DATE 2/3/2026****ENG #1 PT6B-36A S/N PCE36139****ENG #2 PT6B-36A S/N PCE36098**

A/C T.T.	6986.1	HOBBS	N/A	LANDINGS	20596
#1 ENG. TSN	6809.8	#1 CYC	11043	#1 EXCURS	
#2 ENG. TSN	6784.8	#2 CYC	10984	#2 EXCURS	

%	REM	PART NUMBER	DESCRIPTION	S/N	PART HRS/CY	REMAINING HRS/CY	REMOVE HRS/CY	TBO SLL	SUPPORT HRS/CY	PART HRS/CY
		76102-08500-046	SPINDLE BLADE ASSY (YEL)	N/A					4998.7	
60%		76102-08001-045	SPINDLE CUFF ASSY	A134-05220	HRS/RET 1987.4	3012.6	9998.7	5000	4998.7	0.0
68%		76102-08011-046	HORN	A050-01560	HRS/RET 6986.1	14713.9	21700.0	21700	0.0	0.0
60%		76102-08003-103	SPINDLE NUT	D186-03521	HRS/RET 1987.4	3012.6	9998.7	5000	4998.7	0.0
46%		SB5206-202	BEARING OUTER RACE	B199-26977	HRS/RET 676.4	573.6	7559.7	1250	6309.7	0.0
64%		NAS626-9	ELAST BRG ATTACH BOLTS		HRS/RET 6986.1	12613.9	19600.0	19600	0.0	
64%		NKN626-33	DROOP STOP ATTACH BOLTS		HRS/RET 6986.1	12613.9	19600.0	19600	0.0	
76%		76107-08001-045	LOWER BIF SUP ARM	A173-00412	HRS/RET 6986.1	22413.9	29400.0	29400	0.0	0.0
76%		76107-08004-057	BIFILAR WEIGHT	B187-00144	HRS/RET 6986.1	22413.9	29400.0	29400	0.0	0.0
76%		76107-08004-057	BIFILAR WEIGHT	B187-00141	HRS/RET 6986.1	22413.9	29400.0	29400	0.0	0.0
76%		76107-08004-057	BIFILAR WEIGHT	B187-00171	HRS/RET 6986.1	22413.9	29400.0	29400	0.0	0.0
76%		76107-08004-057	BIFILAR WEIGHT	B187-00157	HRS/RET 6986.1	22413.9	29400.0	29400	0.0	0.0
72%		76107-08001-046	UPPER BIF SUP ARM	A173-00361	HRS/RET 8135.7	21264.3	28250.4	29400	6309.7	7459.3
72%		76107-08004-058	BIFILAR WEIGHT	B188-00063	HRS/RET 8135.7	21264.3	28250.4	29400	6309.7	7459.3
72%		76107-08004-058	BIFILAR WEIGHT	B188-00064	HRS/RET 8135.7	21264.3	28250.4	29400	6309.7	7459.3
72%		76107-08004-058	BIFILAR WEIGHT	B188-00069	HRS/RET 8135.7	21264.3	28250.4	29400	6309.7	7459.3
72%		76107-08004-058	BIFILAR WEIGHT	B188-00128	HRS/RET 8135.7	21264.3	28250.4	29400	6309.7	7459.3
64%		76104-08500-041	SWASHPLATE ASSY	A238-00105	HRS/RET 6986.1	12213.9	19200.0	19200	0.0	0
		76104-08500-041	SWASHPLATE ASSY	A238-00105	CAL/INSP		Oct-28	36 MON	Oct-25	
17%		76351-09600-044	MGB	A231-00129	HRS/O-H 2709.6	540.4	7526.5	3250	4276.5	0
76%		76351-09628-101	QUILL SHAFT	A212-00361	HRS/RET 2151.1	6848.9	13835.0	9000	4835.0	0
86%		76351-09626-101	SPLINE ADAP SHAFT	A211-00111	HRS/RET 5273.8	31726.2	38712.3	37000	4835.0	3122.7
45%		76351-09630-041	MAIN ROTOR SHAFT	D213-00542	HRS/RET 2709.6	2190.4	9176.5	4900	4276.5	0
65%		76351-09029-102	SWASHPLATE GUIDE	A028-00188	HRS/RET 6986.1	13013.9	20000.0	20000	4835.0	4835.0
		76351-09008-057	MGB LOWER HOUSING		HRS/RET 6986.1			COND		
66%		76351-09002-053	MGB UPPER HOUSING	A001-00407	HRS/RET 3575.9	6824.1	13810.2	10400	4276.5	866.3
41%		76357-05600-041	INTERMED GEARBOX	A242-00194	HRS/O-H 2657.0	1843.0	8829.1	4500	4329.1	0
		76357-05600-041	INTERMED GEARBOX	A242-00194	CAL/RET		Dec-34	REM FROM SERVICE PER CH.5, TABLE 1, NOT		

**N208S****S-76B 760399****DATE 2/3/2026****ENG #1 PT6B-36A S/N PCE36139****ENG #2 PT6B-36A S/N PCE36098**

A/C T.T.	6986.1	HOBBS	N/A	LANDINGS	20596
#1 ENG. TSN	6809.8	#1 CYC	11043	#1 EXCURS	
#2 ENG. TSN	6784.8	#2 CYC	10984	#2 EXCURS	

<u>%</u>	<u>REM</u>	<u>PART NUMBER</u>	<u>DESCRIPTION</u>	<u>S/N</u>	<u>PART</u> <u>HRS/CY</u>	<u>REMAINING</u> <u>HRS/CY</u>	<u>REMOVE</u> <u>HRS/CY</u>	<u>TBO</u> <u>SLL</u>	<u>SUPPORT</u> <u>HRS/CY</u>	<u>PART</u> <u>HRS/CY</u>
34%		76358-05600-042	T/R GEARBOX	A239-00031	HRS/O-H 2657.0	1343.0	8329.1	4000	4329.1	0
		76358-05600-042	T/R GEARBOX	A239-00031	CAL/RET		Dec-34	REM FROM SERVICE PER CH.5, TABLE 1, NOT		
60%		76358-05124-042	T/R G/B OUT SHAFT	A069-00600	HRS/RET 3643.8	5456.2	12442.3	9100	3342.3	0
60%		76347-05118-047	T/R G/B OUT FLANGE	A070-00342	HRS/RET 3643.8	5456.2	12442.3	9100	3342.3	0
65%		76101-05020-048	T/R BLADE	02652	HRS/RET 6962.5	13037.5	20023.6	20000	6310.0	6286.4
65%		76101-05020-048	T/R BLADE	02665	HRS/RET 6962.5	13037.5	20023.6	20000	6310.0	6286.4
		76101-05017-045	T/R SPAR	A293-02899	HRS 6905.6			COND	4339.7	4259.2
42%		76101-05006-042	T/R HORN	A334-02652	HRS/RET 6962.5	5037.5	12023.6	12000	6310.0	6286.4
42%		76101-05006-042	T/R HORN	A334-02665	HRS/RET 6962.5	5037.5	12023.6	12000	6310.0	6286.4
65%		76101-05020-048	T/R BLADE	02646	HRS/RET 7061.2	12938.8	19924.9	20000	6310.0	6385.1
65%		76101-05020-048	T/R BLADE	02653	HRS/RET 7061.2	12938.8	19924.9	20000	6310.0	6385.1
		76101-05017-045	T/R SPAR	A116-02168	HRS 6986.1			COND	2163.0	2163.0
41%		76101-05006-042	T/R HORN	A334-02646	HRS/RET 7061.2	4938.8	11924.9	12000	6310.0	6385.1
41%		76101-05006-042	T/R HORN	A334-02653	HRS/RET 7061.2	4938.8	11924.9	12000	6310.0	6385.1
23%		76102-05001-047	T/R O.B. RETAIN PLATE	A131-00382	HRS/RET 6986.1	2113.9	9100.0	9100	0.0	0.0
83%		76900-01802-106	YAW ACT #1	HF-75592	HRS/O-H 504.4	2495.6	9481.7	3000	6481.7	0.0
56%		76900-01802-106	YAW ACT # 2	99010466	HRS/O-H 1308.8	1691.2	8677.3	3000	5677.3	0.0
56%		76900-01802-106	ROLL ACT #1	98120448	HRS/O-H 1308.8	1691.2	8677.3	3000	5677.3	0.0
53%		76900-01802-106	ROLL ACT #2	80062916	HRS/O-H 1406.9	1593.1	8579.2	3000	5579.2	0.0
32%		76900-01802-106	PITCH ACT #1	79J9667	HRS/O-H 2027.5	972.5	7958.6	3000	4958.6	0.0
92%		76900-01802-106	PITCH ACT #2	0424068	HRS/O-H 225.3	2774.7	9760.8	3000	6760.8	0.0
99%		76361-04007-042	T/R D/S SUPPORT	A348-PAE-00238	HRS/OH 17.7	2982.3	9968.4	3000	6968.4	0.0
		76361-04007-042	T/R D/S SUPPORT	A348-PAE-00238	CAL/OH		Oct-30	5 YR	Oct-25	
99%		SB1138-102	T/R D/S SUPP BRG	F626-05844	HRS/RET 17.7	2982.3	9968.4	3000	6968.4	0.0
		SB1138-102	T/R D/S SUPP BRG	F626-05844	CAL/RET		Oct-30	5 YR	Oct-25	

**N208S****S-76B 760399****DATE 2/3/2026****ENG #1 PT6B-36A S/N PCE36139****ENG #2 PT6B-36A S/N PCE36098**

A/C T.T.	6986.1	HOBBS	N/A	LANDINGS	20596
#1 ENG. TSN	6809.8	#1 CYC	11043	#1 EXCURS	
#2 ENG. TSN	6784.8	#2 CYC	10984	#2 EXCURS	

%	REM	PART NUMBER	DESCRIPTION	S/N	PART HRS/CY	REMAINING HRS/CY	REMOVE HRS/CY	TBO SLL	SUPPORT HRS/CY	PART HRS/CY	
99%		76361-04007-042	T/R D/S SUPPORT	A348-PAE-0239	HRS/OH	17.7	2982.3	9968.4	3000	6968.4	0.0
		76361-04007-042	T/R D/S SUPPORT	A348-PAE-0239	CAL/OH			Oct-30	5 YR	Oct-25	
99%		SB1138-102	T/R D/S SUPP BRG	F626-05817	HRS/RET	17.7	2982.3	9968.4	3000	6968.4	0.0
		SB1138-102	T/R D/S SUPP BRG	F626-05817	CAL/RET			Oct-30	5 YR	Oct-25	
99%		76361-04007-042	T/R D/S SUPPORT	A348-PAE-0240	HRS/OH	17.7	2982.3	9968.4	3000	6968.4	0.0
		76361-04007-042	T/R D/S SUPPORT	A348-PAE-0240	CAL/OH			Oct-30	5 YR	Oct-25	
99%		SB1138-102	T/R D/S SUPP BRG	F626-05824	HRS/RET	17.7	2982.3	9968.4	3000	6968.4	0.0
		SB1138-102	T/R D/S SUPP BRG	F626-05824	CAL/RET			Oct-30	5 YR	Oct-25	
		76650-09807-101	MAIN SERVO LAT	B244-00029	HRS/OH	8797.5			COND	5677.3	7488.7
		RW783741-1	SERVO PISTON		HRS/RET	6986.1			COND		
		76650-09807-101	MAIN SERVO FWD	B244-00162	HRS/OH	4573.9			COND	5677.3	3265.1
		RW783741-1	SERVO PISTON		HRS/RET	6986.1			COND		
		782500-1	MAIN SERVO AFT	B345-00455	HRS/OH	3533.3			COND	5520.4	2067.6
			SERVO PISTON		HRS/RET	6986.1			COND		
		782600-2	T/R SERVO	B346-00167	HRS/O-H	676.4			COND	6413.9	104.2
		RW783719-1	T/R SERVO PISTON		HRS/RET	6986.1			COND		
		65317-03006-109	#1 FUEL SELECTOR VALVE	0915	CAL/RET			Oct-33	10 YR	Oct-23	
		65317-03006-110	#2 FUEL SELECTOR VALVE	0323	CAL/RET			Oct-33	10 YR	Oct-23	
32%		23092-002	STARTER GEN L/H	259	HRS/O-H	676.4	323.6	7309.7	1000	6309.7	0.0
32%		23092-002	STARTER GEN R/H	127	HRS/O-H	676.4	323.6	7309.7	1000	6968.4	658.7
57%		60-3274-5	ANTI-COLL POWER SUPPLY		HRS/O-H	860.2	1139.8	8125.9	2000	6125.9	
		76306-07901-102	#1 ENGINE FIRE BOTTLE	71876EK	CAL/HYDRO			Aug-27	5 YR	Sep-22	
		AE897776	#1 FIRE BOTTLE SQUIB	484	CAL/RET		BY DATE OF	May-30	10 YR	Mar-21	
		M897776-01	#1 FIRE BOTTLE SQUIB	14471	CAL/RET		MFG	Jul-32	10 YR	Jul-22	
		76306-07901-102	#2 ENGINE FIRE BOTTLE	96199EJ	CAL/HYRDO			Aug-27	5 YR	Sep-22	

**N208S****S-76B 760399****DATE 2/3/2026****ENG #1 PT6B-36A S/N PCE36139****ENG #2 PT6B-36A S/N PCE36098**

A/C T.T.	6986.1	HOBBS	N/A	LANDINGS	20596
#1 ENG. TSN	6809.8	#1 CYC	11043	#1 EXCURS	
#2 ENG. TSN	6784.8	#2 CYC	10984	#2 EXCURS	

%	REM	PART NUMBER	DESCRIPTION	S/N	PART HRS/CY	REMAINING HRS/CY	REMOVE HRS/CY	TBO SLL	SUPPORT HRS/CY	PART HRS/CY
		AE897776	#2 FIRE BOTTLE SQUIB	351	CAL/RET	BY DATE OF	Jul-29	10 YR	Jul-19	
		AE897776	#2 FIRE BOTTLE SQUIB	360	CAL/RET	MFG	Jul-29	10 YR	Jul-19	
ENGINE # 1										
S/N: PCE36139										
12%		PT6B-36A	POWER SECTION	PCE-36139	HRS/OVHL	3537.1	462.9	7272.7	4000	3272.7 0.0
30%		3018312	DISC COMP 2nd	15A070	CYC-RET	15819.5	6680.5	22500.0	22500.0	
44%		3017713	DISC COMP 3rd	12A034	CYC-RET	15819.5	12180.5	28000.0	28000.0	
29%		3024211	DISC COMP TURBINE	1E743	CYC-RET	11363.2	4636.8	16000.0	16000.0	
62%		3022312	DISC POWER TURBINE	6Y402	CYC-RET	21548.9	35451.1	57000.0	57000.0	
55%		3022312	DISC POWER TURBINE	6Y402	HRS-RET	6809.8	8190.2	15000.0	15000	3272.7 3272.7
57%		3018111	HUB COMP ROTOR	1M431	CYC-RET	47458.5	62541.5	110000.0	110000.0	
55%		3018111	HUB COMP ROTOR	1M431	HRS-RET	6809.8	8190.2	15000.0	15000	3272.7 3272.7
51%		3027798	IMPELLER	3D907	CYC-RET	14227.3	14772.7	29000.0	29000.0	
13%		787200-7-L13/15-22	HYDROMECH FUEL CNTRL	A8692	HRS/OVHL	3936.8	563.2	7373.0	4500	3292.0 419.0
24%		787223-1	ALTERNATOR H.F.C.	F2796	HRS/OVHL	3399.1	1101.0	7910.8	4500	4124.8 714.1
12%		PT6B-36B	REDUCTION GEARBOX	RGB-36139	HRS/OVHL	3537.1	462.9	7272.7	4000	3272.7 0.0
50 HR ENGINE INSPECTION							27.3	6837.1	50	6787.1
150 HR ENGINE INSPECTION							127.3	6937.1	150	6787.1
150 HR / 6 MONTH GAS GEN CASE INSPECTION							127.3	6937.1	150	6787.1
150 HR / 6 MONTH GAS GEN CASE INSPECTION								Apr-26	6 MON	Oct-25
150 HR / 12 MONTH OUTPUT SHAFT LEAK CHECK INSPECTION							127.3	6937.1	150	6787.1
150 HR / 12 MONTH OUTPUT SHAFT LEAK CHECK INSPECTION								Oct-26	12 MON	Oct-25
300 HR ENGINE INSPECTION							277.3	7087.1	300	6787.1
300 HR / 12 MONTH COMPRESSOR INLET INSPECTION							277.3	7087.1	300	6787.1
300 HR / 12 MONTH COMPRESSOR INLET INSPECTION								Oct-26	12 MON	Oct-25
600 HR FUEL FILTER							414.2	7224.0	600	6624.0
300 HR FUEL NOZZLE CLEANING							277.3	7087.1	300	6787.1
600 HR / 12 MONTH ELECTRICAL CONNECTOR CLEANING							577.3	7387.1	600	6787.1
600 HR / 12 MONTH ELECTRICAL CONNECTOR CLEANING								Oct-26	12 MON	Oct-25
900 HR / 12 MONTH FLANGE AND JOINT FACE SEALING							877.3	7687.1	900	6787.1

**N208S****S-76B 760399****DATE 2/3/2026****ENG #1 PT6B-36A S/N PCE36139****ENG #2 PT6B-36A S/N PCE36098**

A/C T.T.	6986.1	HOBBS	N/A	LANDINGS	20596
#1 ENG. TSN	6809.8	#1 CYC	11043	#1 EXCURS	
#2 ENG. TSN	6784.8	#2 CYC	10984	#2 EXCURS	

%	REM	PART NUMBER	DESCRIPTION	S/N	PART HRS/CY	REMAINING HRS/CY	REMOVE HRS/CY	TBO SLL	SUPPORT HRS/CY	PART HRS/CY
			900 HR / 12 MONTH FLANGE AND JOINT FACE SEALING				Oct-26	12 MON	Oct-25	
			1200 HR / 24 MONTH OIL FILTER OVERHAUL			1177.3	7987.1	1200	6787.1	
			1200 HR / 24 MONTH OIL FILTER OVERHAUL				Oct-27	24 MON	Oct-25	
			1200 HR FUEL NOZZLE FUNCTIONAL CHECK			340.1	7149.9	1200	5949.9	
			ENGINE OIL CHANGE	PER RSI REQUIREMENTS		277.3	7087.1	300	6787.1	
			ENGINE OIL CHANGE				Oct-26	12 MON	Oct-25	
			ENGINE OIL FILTER CLEANING (ELECTROSONIC METHOD)	REPLACE PER RSI REQUIREMENTS		127.3	6937.1	150	6787.1	
			ENGINE OIL FILTER CLEANING (ULTRASONIC METHOD)	REPLACE PER RSI REQUIREMENTS		1014.2	7824.0	1200	6624.0	
ENGINE # 2										
S/N: PCE36098										
11%		PT6B-36A	POWER SECTION	PCE-36098	HRS/OVHL	3557.7	442.3	7227.1	4000	3227.1 0.0
30%		3018312	DISC COMP 2nd	9T052	CYC-RET	15790.0	6710.0	22500.0	22500.0	
44%		3017713	DISC COMP 3rd	1W781	CYC-RET	15790.0	12210.0	28000.0	28000.0	
2%		3024211	DISC COMP TURBINE	A001CTAN	CYC-RET	15669.8	330.2	16000.0	16000.0	
62%		3022312	DISC POWER TURBINE	8T841	CYC-RET	21440.4	35559.6	57000.0	57000.0	
55%		3022312	DISC POWER TURBINE	8T841	HRS-RET	6784.8	8215.2	15000.0	15000	3227.1 3227.1
57%		3018111	HUB COMP ROTOR	27A577	CYC-RET	47370.0	62630.0	110000.0	110000.0	
55%		3018111	HUB COMP ROTOR	27A577	HRS-RET	6784.8	8215.2	15000.0	15000	3227.1 3227.1
51%		3035883	IMPELLER	7C500	CYC-RET	14188.0	14812.0	29000.0	29000.0	
21%		787200-8-L22SB10&15	HYDROMECH FUEL CNTRL	F24838	HRS/OVHL	3557.7	942.3	7727.1	4500	6064.6 2837.5
18%		787223-1	ALTERNATOR H.F.C.	LB0103B	HRS/OVHL	3695.4	804.6	7589.4	4500	3986.8 897.4
11%		PT6B-36B	REDUCTION GEARBOX	RGB-36098	HRS/OVHL	3557.7	442.3	7227.1	4000	3227.1 0.0
			50 HR ENGINE INSPECTION			32.3	6817.1	50	6767.1	
			150 HR ENGINE INSPECTION			132.3	6917.1	150	6767.1	
			150 HR / 6 MONTH GAS GEN CASE INSPECTION			132.3	6917.1	150	6767.1	
			150 HR / 6 MONTH GAS GEN CASE INSPECTION				Apr-26	6 MON	Oct-25	
			150 HR / 12 MONTH OUTPUT SHAFT LEAK CHECK INSPECTION			132.3	6917.1	150	6767.1	
			150 HR / 12 MONTH OUTPUT SHAFT LEAK CHECK INSPECTION				Oct-26	12 MON	Oct-25	
			300 HR ENGINE INSPECTION			282.3	7067.1	300	6767.1	
			300 HR / 12 MONTH COMPRESSOR INLET INSPECTION			282.3	7067.1	300	6767.1	

**N208S****S-76B 760399****DATE 2/3/2026****ENG #1 PT6B-36A S/N PCE36139****ENG #2 PT6B-36A S/N PCE36098**

A/C T.T.	6986.1	HOBBS	N/A	LANDINGS	20596
#1 ENG. TSN	6809.8	#1 CYC	11043	#1 EXCURS	
#2 ENG. TSN	6784.8	#2 CYC	10984	#2 EXCURS	

%										
REM	PART NUMBER	DESCRIPTION	S/N	PART HRS/CY	REMAINING HRS/CY	REMOVE HRS/CY	TBO SLL	SUPPORT HRS/CY	PART HRS/CY	
		300 HR / 12 MONTH COMPRESSOR INLET INSPECTION				Oct-26	12 MON	Oct-25		
		600 HR FUEL FILTER			421.7	7206.5	600	6606.5		
		300 HR FUEL NOZZLE CLEANING			282.3	7067.1	300	6767.1		
		600 HR / 12 MONTH ELECTRICAL CONNECTOR CLEANING			582.3	7367.1	600	6767.1		
		600 HR / 12 MONTH ELECTRICAL CONNECTOR CLEANING				Oct-26	12 MON	Oct-25		
		900 HR / 12 MONTH FLANGE AND JOINT FACE SEALING			882.3	7667.1	900	6767.1		
		900 HR / 12 MONTH FLANGE AND JOINT FACE SEALING				Oct-26	12 MON	Oct-25		
		1200 HR / 24 MONTH OIL FILTER OVERHAUL			1182.3	7967.1	1200	6767.1		
		1200 HR / 24 MONTH OIL FILTER OVERHAUL				Oct-27	24 MON	Oct-25		
		1200 HR FUEL NOZZLE FUNCTIONAL CHECK			104.3	6889.1	1200	5689.1		
		ENGINE OIL CHANGE	PER RSI REQUIREMENTS		282.3	7067.1	300	6767.1		
		ENGINE OIL CHANGE				Oct-26	12 MON	Oct-25		
		ENGINE OIL FILTER CLEANING (ELECTROSONIC METHOD)	REPLACE PER RSI REQUIREMENTS		132.3	6917.1	150	6767.1		
		ENGINE OIL FILTER CLEANING (ULTRASONIC METHOD)	REPLACE PER RSI REQUIREMENTS		1021.7	7806.5	1200	6606.5		
		AIRFRAME INSPECTIONS								
		25 HR INSP			25.0	7011.1	25	6986.1		
		50 HR INSP			32.3	7018.4	50	6968.4		
		100 HR INSP			82.3	7068.4	100	6968.4		
		300 HR INSP			282.3	7268.4	300	6968.4		
		500 HR INSP			243.0	7229.1	500	6729.1		
		500 HR MAIN ROTOR BLADE COMPOSITE ROOT END INSP			243.0	7229.1	500	6729.1		
		500 HR TAIL ROTOR BLADE BORESCOPE INSP			243.0	7229.1	500	6729.1		
		600 HR INSP			536.3	7522.4	600	6922.4		
		900 HR INSP			223.6	7209.7	900	6309.7		
		900 HR MAIN ROTOR BLADE INSP			223.6	7209.7	900	6309.7		
		1500 HR ZONE 1 INSP			823.6	7809.7	1500	6309.7		
		1500 HR ZONE 2 INSP			823.6	7809.7	1500	6309.7		
		1500 HR ZONE 3 INSP			823.6	7809.7	1500	6309.7		
		1500 HR ZONE 4 INSP			823.6	7809.7	1500	6309.7		
		1500 HR ZONE 5 INSP			823.6	7809.7	1500	6309.7		

**N208S****S-76B 760399****DATE 2/3/2026****ENG #1 PT6B-36A S/N PCE36139****ENG #2 PT6B-36A S/N PCE36098**

A/C T.T.	6986.1	HOBBS	N/A	LANDINGS	20596
#1 ENG. TSN	6809.8	#1 CYC	11043	#1 EXCURS	
#2 ENG. TSN	6784.8	#2 CYC	10984	#2 EXCURS	

%	REM	PART NUMBER	DESCRIPTION	S/N	PART HRS/CY	REMAINING HRS/CY	REMOVE HRS/CY	TBO SLL	SUPPORT HRS/CY	PART HRS/CY
			6 MONTH INSP				Apr-26	6 MON	Oct-25	
			12 MONTH INSP				Oct-26	12 MON	Oct-25	
			24 MONTH INSP				Oct-27	24 MON	Oct-25	
			36 MONTH INSP				Oct-28	36 MON	Oct-25	
			ANNUAL INSPECTION				Oct-26	12 MON	Oct-25	
			3 YEAR DRAG BRACE BOLT INSPECTION				Oct-28	36 MON	Oct-25	
			6 MONTH J.E.T. EMERGENCY POWER SUPPLY INSP	P/N: 501-1228-04, S/N: 12931			Apr-26	6 MON	Oct-25	
			12 MONTH J.E.T. EMERGENCY POWER SUPPLY - CAPACITY CHECK				Oct-26	12 MON	Oct-25	
			300 HR / 3 MONTH MAIN ROTOR SHAFT		300.0	7286.1		300	6986.1	
			300 HR / 3 MONTH MAIN ROTOR SHAFT				May-26	3 MON	Feb-26	
			300 HR / 6 MONTH T/R CABLE CORR INSP.		282.3	7268.4		300	6968.4	
			300 HR / 6 MONTH T/R CABLE CORR INSP.				Apr-26	6 MON	Oct-25	
			300 HR / 12 MONTH ENHANCED TAIL ROTOR BALANCE CHECK		282.3	7268.4		300	6968.4	
			300 HR / 12 MONTH ENHANCED TAIL ROTOR BALANCE CHECK				Oct-26	12 MON	Oct-25	
			600 HR / 12 MONTH M/R SERVO SUPPORTS CONDITION INSPECTION		582.3	7568.4		600	6968.4	
			600 HR / 12 MONTH M/R SERVO SUPPORTS CONDITION INSPECTION				Oct-26	12 MON	Oct-25	
			600 HR / 12 MONTH CONTROLS CONDITION CHECK		582.3	7568.4		600	6968.4	
			600 HR / 12 MONTH CONTROLS CONDITION CHECK				Oct-26	12 MON	Oct-25	
			1250 HR / 3 YRS M/R SPINDLE INSP		1232.3	8218.4		1250	6968.4	
			1250 HR / 3 YRS M/R SPINDLE INSP				Oct-28	36 MON	Oct-25	
			36 MONTH SWASHPLATE INSPECTION				Oct-28	36 MON	Oct-25	
			1500 HR / 12 MON T/R PEDAL INSP & LUBE		1482.3	8468.4		1500	6968.4	
			1500 HR / 12 MON T/R PEDAL INSP & LUBE				Oct-26	12 MON	Oct-25	
			1500 HR / 12 MON T/R GEARBOX FWD FAIRING SECURITY INSP (ZONE 3)		1482.3	8468.4		1500	6968.4	

**N208S****S-76B 760399****DATE 2/3/2026****ENG #1 PT6B-36A S/N PCE36139****ENG #2 PT6B-36A S/N PCE36098**

A/C T.T.	6986.1	HOBBS	N/A	LANDINGS	20596
#1 ENG. TSN	6809.8	#1 CYC	11043	#1 EXCURS	
#2 ENG. TSN	6784.8	#2 CYC	10984	#2 EXCURS	

%	REM	PART NUMBER	DESCRIPTION	S/N	PART HRS/CY	REMAINING HRS/CY	REMOVE HRS/CY	TBO SLL	SUPPORT HRS/CY	PART HRS/CY
			1500 HR / 12 MON T/R GEARBOX FWD FAIRING SECURITY INSP (ZONE 3)				Oct-26	12 MON	Oct-25	
			1500 HR / 12 MON CYC & COLL STICK TRANSDUCER AND WIRING INSP (ZONE 5)		1482.3	8468.4		1500	6968.4	
			1500 HR / 12 MON CYC & COLL STICK TRANSDUCER AND WIRING INSP (ZONE 5)				Oct-26	12 MON	Oct-25	
			1500 HR / 12 MON TEST MAIN GEARBOX CHIP DET & WIRING INSP (ZONE 5)		1482.3	8468.4		1500	6968.4	
			1500 HR / 12 MON TEST MAIN GEARBOX CHIP DET & WIRING INSP (ZONE 5)				Oct-26	12 MON	Oct-25	
			1500 HR / 12 MON MLG POSITIONING ROD & SIDE BRACE ROD END INSP (ZONE 2)		1482.3	8468.4		1500	6968.4	
			1500 HR / 12 MON MLG POSITIONING ROD & SIDE BRACE ROD END INSP (ZONE 2)				Oct-26	12 MON	Oct-25	
			1500 HR / 24 MON HOR STAB SUPPORT FITTING ATTACH BOLT REPLACE		1482.3	8468.4		1500	6968.4	
			1500 HR / 24 MON HOR STAB SUPPORT FITTING ATTACH BOLT REPLACE				Oct-27	24 MON	Oct-25	
			1500 HR / 36 MON T/R CABLE REPLACEMENT		1482.3	8468.4		1500	6968.4	
			1500 HR / 36 MON T/R CABLE REPLACEMENT				Oct-28	36 MON	Oct-25	
			3000 HR / 3 YR M-R BLADE ROOT END LAMIN-TO-SPAR BOND	BEGINS AT 11750 HRS M-R BLADE TIME				3000		
			3000 HR / 3 YR M-R BLADE ROOT END LAMIN-TO-SPAR BOND	BEGINS AT 11750 HRS M-R BLADE TIME				36 MON		
			3000 HR / 5 YEAR TAIL CONE SPLICE FRAME BOLT REPLACE		2819.2	9805.3		3000	6805.3	
			3000 HR / 5 YEAR TAIL CONE SPLICE FRAME BOLT REPLACE				Sep-27	60 MON	Sep-22	
			MISC CABIN INSPECTIONS							
			TRANSPONDER INSP PER 91.413	GTX345R P/N: 011-03303-40, S/N'S: 3EH421677 & 3EH421671			Oct-27	24 MON	Oct-25	
			PITOT STATIC INSP PER 91.411	PILOT P/N 24929-532, S/N 3375; CO-PILOT P/N: 24929-532, S/N: 3376			Oct-27	24 MON	Oct-25	
			ELT INSP/ TEST FAR 91.207d	ARTEX C406-2HM			Oct-26	12 MON	Oct-25	
			ELT INSPECTION	MANUAL #570-5000	82.3	7068.4		100	6968.4	
			ELT INSPECTION				Oct-26	12 MON	Oct-25	
			ELT BATTERY	P/N: 452-0133, S/N: 101248-033			Aug-29		Oct-24	
			FMS DATA BASE UPDATE				Nov-25	28 DAY	Oct-25	
			EGPWS DATA BASE UPDATE				Dec-25	60 DAY	Oct-25	
			PORTABLE FIRE EXT INSP (FWD)	NFPA-10 RULES			Mar-26	30 DAY	Feb-26	
			PORTABLE FIRE EXT WT CK (FWD)	AMEREX C352, S/N: B00096906			Oct-26	12 MON	Oct-25	
			PORTABLE FIRE EXT INTERNAL INSP (FWD)				Jul-26	6 YR	Jul-20	

**N208S****S-76B 760399****DATE 2/3/2026****ENG #1 PT6B-36A S/N PCE36139****ENG #2 PT6B-36A S/N PCE36098**

A/C T.T.	6986.1	HOBBS	N/A	LANDINGS	20596
#1 ENG. TSN	6809.8	#1 CYC	11043	#1 EXCURS	
#2 ENG. TSN	6784.8	#2 CYC	10984	#2 EXCURS	

<u>%</u>	<u>REM</u>	<u>PART NUMBER</u>	<u>DESCRIPTION</u>	<u>S/N</u>	<u>PART HRS/CY</u>	<u>REMAINING HRS/CY</u>	<u>REMOVE HRS/CY</u>	<u>TBO SLL</u>	<u>SUPPORT HRS/CY</u>	<u>PART HRS/CY</u>
			PORTABLE FIRE EXT HYDRO (FWD)				Jan-27	12 YR	Jan-15	
			PORTABLE FIRE EXT INSP (AFT)	NFPA-10 RULES			Mar-26	30 DAY	Feb-26	
			PORTABLE FIRE EXT WT CK (AFT)	AMEREX C352, S/N: B0009689			Oct-26	12 MON	Oct-25	
			PORTABLE FIRE EXT INTERNAL INSP (AFT)				Oct-31	6 YR	Oct-25	
			PORTABLE FIRE EXT HYDRO (AFT)				Oct-37	12 YR	Oct-25	
			CONCORDE BATTERY CAPACITY CHECK	P/N: RG-380E/44 S/N: 4110558			May-26	3 MON	Feb-26	
			INITIAL CAP CK AT 12 MONTHS	SUBSEQUENT CAP CK - ABOVE 90% = EACH 6 MON - BETWEEN 85 & 90% = EACH 3 MON					RESULTS OF CAP CHECK = 85%	
			DUKANE BEACON TEST	DK-100, S/N: SD25481	05-20-00, ITEM D, NOTE		Oct-27	24 MON	Oct-25	
			DUKANE BATTERY RETIREMENT		P/N: DK120-90, S/N: AT226578		Jul-32	6 YR	Oct-25	
			PILOT & CO-PILOT CLOCK BATTERIES				Oct-26	12 MON	Oct-25	
			AIR CONDITIONING SYSTEM							
			AIR COND SYSTEM COMPONENTS			282.3	7268.4	300	6968.4	
			AIR COND SYSTEM COMPONENTS				Apr-26	6 MON	Oct-25	
			COMPRESSOR BELT			282.3	7268.4	300	6968.4	
			COMPRESSOR BELT				Apr-26	6 MON	Oct-25	
			EVAPORATOR AND CONDENSOR COILS			282.3	7268.4	300	6968.4	
			EVAPORATOR AND CONDENSOR COILS				Apr-26	6 MON	Oct-25	
			REFRIGERANT HOSES			282.3	7268.4	300	6968.4	
			REFRIGERANT HOSES				Apr-26	6 MON	Oct-25	
			EVAPORATOR BLOWER MOTOR & COMPRESSOR DRIVE MOTOR BRUSH INSPECTION			329.0	7315.1	600	6715.1	
			LUBRICATION							
			50 HOUR LUBE			32.3	7018.4	50	6968.4	
			100 HOUR LUBE			82.3	7068.4	100	6968.4	

**N208S****S-76B 760399****DATE 2/3/2026****ENG #1 PT6B-36A S/N PCE36139****ENG #2 PT6B-36A S/N PCE36098**

A/C T.T.	6986.1	HOBBS	N/A	LANDINGS	20596
#1 ENG. TSN	6809.8	#1 CYC	11043	#1 EXCURS	
#2 ENG. TSN	6784.8	#2 CYC	10984	#2 EXCURS	

%	REM	PART NUMBER	DESCRIPTION	S/N	PART HRS/CY	REMAINING HRS/CY	REMOVE HRS/CY	TBO SLL	SUPPORT HRS/CY	PART HRS/CY
			600 HOUR/12 MONTH LUBE			582.3	7568.4	600	6968.4	
			600 HOUR/12 MONTH LUBE				Oct-26	12 MON	Oct-25	
			900 HOUR LUBE			223.6	7209.7	900	6309.7	
			1500 HOUR/24 MONTH LUBE			1482.3	8468.4	1500	6968.4	
			1500 HOUR/24 MONTH LUBE				Oct-27	24 MON	Oct-25	
SERVICING										
			MAIN GEARBOX OIL CHANGE			882.3	7868.4	900	6968.4	
			MAIN GEARBOX OIL CHANGE				Oct-26	12 MON	Oct-25	
			MAIN GEARBOX FILTER REPLACEMENT			882.3	7868.4	900	6968.4	
			MAIN GEARBOX FILTER REPLACEMENT				Oct-26	12 MON	Oct-25	
			INTERMEDIATE GEARBOX OIL CHANGE			882.3	7868.4	900	6968.4	
			INTERMEDIATE GEARBOX OIL CHANGE				Oct-26	12 MON	Oct-25	
			TAIL ROTOR GEARBOX OIL CHANGE			882.3	7868.4	900	6968.4	
			TAIL ROTOR GEARBOX OIL CHANGE				Oct-26	12 MON	Oct-25	
			MAIN ROTOR DAMPER RESERVOIR AND DAMPERS OIL CHANGE			591.7	7577.8	900	6677.8	
			INTERMEDIATE AND TAIL ROTOR GEARBOX FLANGE CORR PREVENTATIVE APPLICATION				Oct-26	12 MON	Oct-25	
			HYDRAULIC SYSTEM FLUID CHANGE			2101.1	9087.2	2500	6587.2	
			ENGINE OUTPUT FLANGE SPLINE LUBRICATION			591.7	7577.8	900	6677.8	
CONTINUED AIRWORTHINESS										
			DAVTRON CABIN AIR TEMPERATURE INDICATOR	PER 337			Oct-26	12 MON	Oct-25	
			STANDBY 2 INCH ALTIMETER	PER 337			Oct-26	12 MON	Oct-25	
			TRUE BLUE TA102 USB CHARGER (2)	PER 337			Oct-26	12 MON	Oct-25	
			KEYSTONE DOOR PIN KIT	IC00278			PRE-FLIGHT			
			KEYSTONE DOOR PIN KIT			282.3	7268.4	300	6968.4	
			T/R PEDALS CONTROLS GREASE FITTING KIT INSP	IM93-32		1482.3	8468.4	1500	6968.4	



S-76B 760399

DATE 2/3/2026

ENG #1 PT6B-36A S/N PCE36139

ENG #2 PT6B-36A S/N PCE36098

A/C T.T.	6986.1	HOBBS	N/A	LANDINGS	20596
#1 ENG. TSN	6809.8	#1 CYC	11043	#1 EXCURS	
#2 ENG. TSN	6784.8	#2 CYC	10984	#2 EXCURS	

%	REM	PART NUMBER	DESCRIPTION	S/N	PART HRS/CY	REMAINING HRS/CY	REMOVE HRS/CY	TBO SLL	SUPPORT HRS/CY	PART HRS/CY	
	T/R PEDALS CONTROLS GREASE FITTING KIT INSP						Oct-26	12 MON	Oct-25		
	T/R PEDALS CONTROLS GREASE FITTING KIT LUBRICATION					182.3	7168.4	300	6868.4		
	T/R PEDALS CONTROLS GREASE FITTING KIT LUBRICATION					1482.3	8468.4	1500	6968.4		
	T/R PEDALS CONTROLS GREASE FITTING KIT LUBRICATION						Oct-26	12 MON	Oct-25		
	ENHANCED GROUND PROXIMITY WARNING SYS (EGPWS) SELF TEST					ICA00256.76	PRIOR TO EACH FLIGHT				
	ENHANCED GROUND PROXIMITY WARNING SYS (EGPWS) DATABASE UPD					BASE EXPIRED	Dec-25	60 DAY	Oct-25		
	ENHANCED GROUND PROXIMITY WARNING SYS (EGPWS) VISUAL						Oct-26	12 MON	Oct-25		
	UNIVERSAL AVIONICS SYSTEMS UNS-1FW					20819-ICA-01	282.3	7268.4	300	6968.4	
	UNIVERSAL AVIONICS SYSTEMS UNS-1FW						Oct-26	12 MON	Oct-25		
	GTX 345R ADS-B SYSTEM (2 UNITS)					PER 337	Oct-26	12 MON	Oct-25		
	SERVICE BULLETINS										
	76-32-26A/76A-32-03 MLG POSITIONING ROD & SIDE BRACE ROD END INSP					1482.3	8468.4	1500	6968.4		
	76-32-26A/76A-32-03 MLG POSITIONING ROD & SIDE BRACE ROD END INSP						Oct-26	12 MON	Oct-25		
	76-65-18C M/R BLADE COMPOSITE ROOT END INSPECTION					243.0	7229.1	500	6729.1		
	76-66-38 T/R DRIVESHAFT BEARING REPLACEMENT					2982.3	9968.4	3000	6968.4		
	76-66-38 T/R DRIVESHAFT BEARING REPLACEMENT						Oct-30	60 MON	Oct-25		
	AIRWORTHINESS DIRECTIVES										
	89-07-12 TAIL ROTOR HORN TIME LIFE					5013.9	12000.0	12000	0.0		
	99-19-30 T/R GEARBOX FWD FAIRING INSPECTION					1101.1	8087.2	1500	6587.2		
	2001-01-04 MLG POSITIONING ROD & SIDE BRACE ROD END INSP.					1482.3	8468.4	1500	6968.4		
	2001-01-04 MLG POSITIONING ROD & SIDE BRACE ROD END INSP.						Oct-26	12 MON	Oct-25		
	ENGINE BULLETINS										
	ENGINE #1										



S-76B 760399

DATE 2/3/2026

ENG #1 PT6B-36A S/N PCE36139

ENG #2 PT6B-36A S/N PCE36098

A/C T.T.	6986.1	HOBBS	N/A	LANDINGS	20596
#1 ENG. TSN	6809.8	#1 CYC	11043	#1 EXCURS	
#2 ENG. TSN	6784.8	#2 CYC	10984	#2 EXCURS	

%	REM	PART NUMBER	DESCRIPTION	S/N	PART HRS/CY	REMAINING HRS/CY	REMOVE HRS/CY	TBO SLL	SUPPORT HRS/CY	PART HRS/CY
			11004 REV.2. NEW IMPROVED COMPRESSOR BLEED VALVE ASSY							DUE WHEN PARTS SUPPLY IS DEPLETED
			11008 R.2. NEW IMPROVED ACCESSORY GEARBOX HOUSING ASSY							DUE AT NEXT ACCESS
			11010 R.2. COMPRESSOR TURBINE SHROUD LOCATING RING							DUE AT NEXT ENGINE SHOP VISIT
			11014 R.3. IMPROVED COMPRESSOR STATOR ASSEMBLY & IMPELLER HOUSING							DUE AT NEXT ACCESS
			11018 R.1. INTRODUCTION OF NEW EEC							DUE AT NEXT ACCESS
			11021 R.1. INTRODUCTION OF NEW HMU							DUE AT NEXT ACCESS
			11023 MODIFICATION OF FUEL CONTROL TRAY							DUE AT NEXT ENGINE SHOP VISIT
			11029 R.2. NEW COMPRESSOR BLADE							DUE AT NEXT ACCESS
			11030 REPLACEMENT OF CARRIER SEALS							DUE AT NEXT ACCESS
			11036 R.2. CLASSIFIED IMPELLER HOUSING MODIFICATION							DUE AT NEXT ACCESS
			11040 REV.1. IMPROVED CHIP DETECTOR							DUE AT NEXT DISASSEMBLY
			11046 REV.5 MODIFICATION OF ACCESSORY GEARBOX ASSY HOUSING							DUE AT NEXT MAINTENANCE OR O/H OPPORTUNITY
			11047 REV.1. NEW COMPRESSOR REAR AIR SEAL HOUSING							DUE AT NEXT ENGINE SHOP VISIT
			11048 R.1. ELECTRICAL WIRING HARNESS ASSEMBLY							DUE AT NEXT ACCESS
			11049 THERMOCOUPLE WIRING HARNESS							DUE AT NEXT ACCESS
			11052 R.1. ACCESSORY GEARBOX GEARSHAFT INSPECTION/REPLACEMENT							DUE AT NEXT ENGINE SHOP VISIT
			11053 R.1. REDUCTION GEARBOX ROLLER BEARING REPLACEMENT							DUE AT NEXT ENGINE SHOP VISIT
			11058 FUEL CONTROL TRAY ASSEMBLY MODIFICATION							DUE AT NEXT ACCESS
			11060 TOP REAR FIRE SEAL ASSEMBLY							DUE AT NEXT ENGINE SHOP VISIT
			11065 STARTER GENERATOR DRIVE PLAIN SEAL REPLACEMENT							DUE AT NEXT MAINTENANCE OR O/H OPPORTUNITY
			11069 ASSEMBLY GEARBOX OIL TRANSFER TUBE ASSEMBLY REPLACEMENT							DUE AT NEXT ENGINE SHOP VISIT
			11074 R.3. REDUCTION GEARBOX CASING & CENTYER ASSY & ACCY GEARBOX HOUSING							DUE AT NEXT ENGINE SHOP VISIT
			11077 REDUCTION GEARBOX NO. 5 BEARING REPLACEMENT							DUE AT NEXT ENGINE SHOP VISIT
			11125 REV.4. MODIFICATION OF COMPRESSOR BLEED VALVE ASSY							DUE WHEN PARTS SUPPLY IS DEPLETED
			11132 R.1. HYDROMECHANICAL FUEL CONTROL UNIT MODIFICATION							DUE AT NEXT ACCESS
			11144 REPLACEMENT OF COMPRESSOR BLEED VALVE ASSY							DUE AT NEXT MAINTENANCE OR O/H OPPORTUNITY
			11147 R.2. COMPRESSOR TURBINE VANE RING REPLACEMENT							DUE AT NEXT ACCESS
			11154 HYDROMECHANICAL FUEL CONTROL UNIT INSPECTION							DUE AT NEXT ACCESS
			11155 R.3. ELECTRONIC ENGINE CENTER REPLACEMENT							DUE AT NEXT ACCESS
			11156 R.2. TORQUE SENSOR WIRING HARNESS MODIFICATION							DUE AT NEXT ACCESS
			11159 REV.1 MODIFICATION/REPLACEMENT OF FCU							DUE WHEN PARTS SUPPLY IS DEPLETED
			11160 COROSSION INHIBITORS INTRO OF							DUE AT NEXT MAINTENANCE OR O/H OPPORTUNITY



N208S

S-76B 760399

DATE 2/3/2026

ENG #1 PT6B-36A S/N PCE36139

ENG #2 PT6B-36A S/N PCE36098

A/C T.T.	6986.1	HOBBS	N/A	LANDINGS	20596
#1 ENG. TSN	6809.8	#1 CYC	11043	#1 EXCURS	
#2 ENG. TSN	6784.8	#2 CYC	10984	#2 EXCURS	

%

[illegible]

11161 COMPRESSOR TURBINE SHROUD HOUSING INSPECTION	DUE AT NEXT ACCESS
11163 REDUCTION GEARBOX NO.5 BEARING INSPECTION	DUE AT NEXT ACCESS
11166 COMPRESSOR TURBINE CT DISC INSPECTION	DUE AT NEXT ACCESS
11183 NO.3 & NO.4 BEARING OIL-PRESSURE TUBE ASSEMBLY - REPLACEMENT OF	DUE WHEN PARTS SUPPLY IS DEPLETED
11185 SECOND STAGE COMPRESSOR STATOR ASSEMBLY - REPLACEMENT OF	DUE WHEN PARTS SUPPLY IS DEPLETED
ENGINE #2	
11004 REV.2. NEW IMPROVED COMPRESSOR BLEED VALVE ASSY	DUE WHEN PARTS SUPPLY IS DEPLETED
11008 R.2. NEW IMPROVED ACCESSORY GEARBOX HOUSING ASSY	DUE AT NEXT ACCESS
11010 R.2. COMPRESSOR TURBINE SHROUD LOCATING RING	DUE AT NEXT ENGINE SHOP VISIT
11014 R.3. IMPROVED COMPRESSOR STATOR ASSEMBLY & IMPELLER HOUSING	DUE AT NEXT ACCESS
11018 R.1. INTRODUCTION OF NEW EEC	DUE AT NEXT ACCESS
11021 R.1. INTRODUCTION OF NEW HMU	DUE AT NEXT ACCESS
11023 MODIFICATION OF FUEL CONTROL TRAY	DUE AT NEXT ENGINE SHOP VISIT
11029 R.2. NEW COMPRESSOR BLADE	DUE AT NEXT ACCESS
11030 REPLACEMENT OF CARRIER SEALS	DUE AT NEXT ACCESS
11036 R.2. CLASSIFIED IMPELLER HOUSING MODIFICATION	DUE AT NEXT ACCESS
11040 REV.1. IMPROVED CHIP DETECTOR	DUE AT NEXT DISASSEMBLY
11046 REV.5 MODIFICATION OF ACCESSORY GEARBOX ASSY HOUSING	DUE AT NEXT MAINTENANCE OR O/H OPPORTUNITY
11047 REV.1. NEW COMPRESSOR REAR AIR SEAL HOUSING	DUE AT NEXT ENGINE SHOP VISIT
11048 R.1. ELECTRICAL WIRING HARNESS ASSEMBLY	DUE AT NEXT ACCESS
11049 THERMOCOUPLE WIRING HARNESS	DUE AT NEXT ACCESS
11052 R.1. ACCESSORY GEARBOX GEARSHAFT INSPECTION/REPLACEMENT	DUE AT NEXT ENGINE SHOP VISIT
11053 R.1. REDUCTION GEARBOX ROLLER BEARING REPLACEMENT	DUE AT NEXT ENGINE SHOP VISIT
11058 FUEL CONTROL TRAY ASSEMBLY MODIFICATION	DUE AT NEXT ACCESS
11060 TOP REAR FIRE SEAL ASSEMBLY	DUE AT NEXT ENGINE SHOP VISIT
11065 STARTER GENERATOR DRIVE PLAIN SEAL REPLACEMENT	DUE AT NEXT MAINTENANCE OR O/H OPPORTUNITY
11069 ASSEMBLY GEARBOX OIL TRANSFER TUBE ASSEMBLY REPLACEMENT	DUE AT NEXT ENGINE SHOP VISIT
11074 R.3. REDUCTION GEARBOX CASING & CENTYER ASSY & ACCY GEARBOX HOUSING	DUE AT NEXT ENGINE SHOP VISIT
11077 REDUCTION GEARBOX NO. 5 BEARING REPLACEMENT	DUE AT NEXT ENGINE SHOP VISIT
11125 REV.4. MODIFICATION OF COMPRESSOR BLEED VALVE ASSY	DUE WHEN PARTS SUPPLY IS DEPLETED
11132 R.1. HYDROMECHANICAL FUEL CONTROL UNIT MODIFICATION	DUE AT NEXT ACCESS



N208S

S-76B 760399

DATE 2/3/2026

ENG #1 PT6B-36A S/N PCE36139

ENG #2 PT6B-36A S/N PCE36098

A/C T.T.	6986.1	HOBBS	N/A	LANDINGS	20596
#1 ENG. TSN	6809.8	#1 CYC	11043	#1 EXCURS	
#2 ENG. TSN	6784.8	#2 CYC	10984	#2 EXCURS	

%					PART	REMAINING	REMOVE	TBO	SUPPORT	PART
REM	PART NUMBER	DESCRIPTION	S/N		HRS/CY	HRS/CY	HRS/CY	SLL	HRS/CY	HRS/CY
	11144	REPLACEMENT OF COMPRESSOR BLEED VALVE ASSY			DUE AT NEXT MAINTENANCE OR O/H OPPORTUNITY					
	11147	R.2. COMPRESSOR TURBINE VANE RING REPLACEMENT			DUE AT NEXT ACCESS					
	11154	HYDROMECHANICAL FUEL CONTROL UNIT INSPECTION			DUE AT NEXT ACCESS					
	11155	R.3. ELECTRONIC ENGINE CENTER REPLACEMENT			DUE AT NEXT ACCESS					
	11156	R.2. TORQUE SENSOR WIRING HARNESS MODIFICATION			DUE AT NEXT ACCESS					
	11159	REV.1 MODIFICATION/REPLACEMENT OF FCU			DUE WHEN PARTS SUPPLY IS DEPLETED					
	11160	COROSSION INHIBITORS INTRO OF			DUE AT NEXT MAINTENANCE OR O/H OPPORTUNITY					
	11161	COMPRESSOR TURBINE SHROUD HOUSING INSPECTION			DUE AT NEXT ACCESS					
	11163	REDUCTION GEARBOX NO.5 BEARING INSPECTION			DUE AT NEXT ACCESS					
	11166	COMPRESSOR TURBINE CT DISC INSPECTION			DUE AT NEXT ACCESS					
	11183	NO.3 & NO.4 BEARING OIL-PRESSURE TUBE ASSEMBLY - REPLACEMENT OF			DUE WHEN PARTS SUPPLY IS DEPLETED					
	11185	SECOND STAGE COMPRESSOR STATOR ASSEMBLY - REPLACEMENT OF			DUE WHEN PARTS SUPPLY IS DEPLETED					
RETORQUES										
MARGIN										
		STABILIZER SUPPORT FITTING		5-15				15		
		STABILIZER RETAINING PLATE		5-15				15		
		MAIN ROTOR BLADE BOLTS		5-15				15		
		MAIN ROTOR HEAD		5-15				15		
		SPINDLE TO HUB BOLTS		5-15				15		
		MAIN ROTOR PITCH CONTROL RODS		5-15				15		
		BIFILAR ATTACH BOLTS		5-15	13.1	6999.2		15	6984.2	
		SWASHPLATE SPHERICAL BALL CLAMP		5-15				15		
		ROTATING SCISSOR BOLT		5-15				15		
		TAIL ROTOR BLADE TO HUB		5-15				15		
		MGB MOUNTING BOLTS		5-15				15		
		INTERMEDIATE GEARBOX NUTS		5-15				15		
		TAIL GEARBOX BOLTS		5-15				15		
		TAIL DRIVE SHAFT COUPLING	#2, #3, #4	5-15				15		
		MAIN ROTOR SWASHPLATE EXPANDABLE PINS		5-15				15		
		ENGINE DRIVESHAFT NUTS		5-15				15		

**N208S****S-76B 760399****DATE 2/3/2026****ENG #1 PT6B-36A S/N PCE36139****ENG #2 PT6B-36A S/N PCE36098**

A/C T.T.	6986.1	HOBBS	N/A	LANDINGS	20596
#1 ENG. TSN	6809.8	#1 CYC	11043	#1 EXCURS	
#2 ENG. TSN	6784.8	#2 CYC	10984	#2 EXCURS	

%

%					PART	REMAINING	REMOVE	TBO	SUPPORT	PART
REM	PART NUMBER	DESCRIPTION	S/N		HRS/CY	HRS/CY	HRS/CY	SLL	HRS/CY	HRS/CY
		OIL COOLER BLOWER CLAMP		5-15				15		
		TAILCONE ATTACHMENTS BOLTS		5-15				15		
FLUIDS										
AIRCRAFT LUBE = BP 2380			ENGINE #1 & #2 = BP 2380				MAIN GEARBOX = MOBIL 1 ATF			
HYDRAULIC SYSTEM = MIL-H-5606						INTERMEDIATE & TAIL ROTOR GEARBOXES = MOBIL 1 ATF				
NO HOBBS METER			ENG#1 = SUBTRACT 181.3 FROM ACTT				ENG#2 = SUBTRACT 198.7 FROM ACTT			
DATE OF MANUFACTURER = 1992							REGISTRATION EXPIRES: JUNE 30, 2029			
PAINT CODES:		WHITE AF3502	THUNDERSTORM GRAY 799361			NORDIC GRAY P1174				